
FULL CONE NOZZLES

BB/BD



X-VANE / SQUARE SPRAY / THREE PIECES

This is the same three-piece nozzle as the BA/BC design, but manufactured to produce a square section spray pattern. With this shape spray pattern it is possible to optimize the coverage or zone of a surface. Please note that the sides of the square spray section are not in line with the grooves on the nozzle orifice, the offset angle is between 10° and 15° depending upon working pressure and distance. The proper alignment of the nozzles should be obtained at the time when the system is installed or serviced.

Materials B1 AISI 303 Stainless steel

B31 AISI 316L Stainless steel on request

T1 Brass

Square spray

BD

BBQ	BDQ	Code	RF RG	D	D1	Capacity at different pressure values				lpm bar	Spray angle at pressure		(degrees) bar		
			inch	mm	mm	0.7	1.0	2.0	3.0	5.0	7.0	10	0.7	1.5	5.0
		1270	1/8	1.8	1.0	1.30	1.56	2.20	2.70	3.49	4.12	4.93	42	55	48
		1360		1.9	1.3	1.74	2.08	2.94	3.60	4.65	5.50	6.57	48	60	60
		1440		2.1	1.3	2.13	2.54	3.59	4.40	5.68	6.72	8.03	60	65	60
		1740	1/4	2.8	1.6	3.57	4.27	6.04	7.40	9.55	11.3	13.5	60	65	60
		1890		3.2	1.6	4.30	5.14	7.27	8.90	11.5	13.6	16.2	65	67	60
		2110		3.8	1.6	5.31	6.35	8.98	11.0	14.2	16.8	20.1	75	80	75
		2133	3/8	3.8	2.4	6.42	7.68	10.9	13.3	17.2	20.3	24.3	70	72	65
		2210	1/2	5.6	3.0	10.1	12.1	17.2	21.0	27.1	32.1	38.3	70	74	65
		2270		6.4	3.2	13.0	15.6	22.0	27.0	34.9	41.2	49.3	75	80	75

Common Applications

Drop production in chemical reactors Scrubbing and washing with recirculated liquids Washing and rinsing processes

Accessories

Assembly clamps for feed pipes Swivel joints Strainers One way valves

Dimensions and weights

Nozzle Type	RF/RG inch	H mm	WS mm	W kg
	1/8	30	14	0.03
BA/BB	1/4	37	17	0.04
	3/8	46	19	0.07
	1/2	57	25	0.20

Nozzle Type	RF/RG inch	H mm	WS mm	W kg	
	1/8	32	14	0.02	
BC/BD	1/4	39	17	0.04	
ספיסט	3/8	47	19	0.07	
	1/2	57	25	0.20	